



LIGHT METAL WORKSHOP TROLLEY WITH 2 TRAYS AND 1 DRAW ASSEMBLY INSTRUCTIONS




ITEM REFERENCE: 192727

TOOL CART ASSEMBLY INSTRUCTIONS

- A) NOT stand on this product. You may fall which may cause personal injury.
 B) USE THE BRAKES when not moving this product to prevent it from moving, which may cause personal damage or product damage.
 C) DO NOT mount this product on any moving object.
 D) DO NOT TOW with power equipment. It may tip, which may cause personal injury or product damage.
 E) Keep the product moving on level surface.
 F) The maximum weight for each tray should be no more than 100 pounds. The maximum product weight, including contents. Can't exceed 300 pounds.
 G) The maximum weight for the drawer should be no more 50 pounds.


PARTS LIST :



Item	Description	Q'ty	Item	Description	Q'ty	Item	Description	Q'ty
A	ROOF	1	F	SWIVEL CASTER	2	K	HEX NUT M6	18+1
B	PILLAR	4	G	WASHER	16+1	L	BOLT M6X16	16+1
C	MEDIUM TRAY	1	H	SPRING WASHER	16+1	M	BOLT M6X35	4
D	BOTTOM TRAY	1	I	BOLT M6X12	26+1	N	SIDE TRAY	1
E	RIGID CASTER	2	J	HANDLE	1			


TOOLS REQUIRED :#2 and #3 phillips screwdrivers 10mm wrench or socket for pillar nuts

step 1




Using L, G and H attach 2 of F to other side of D. Using L, G and H attach 2 of E to opposite under of D.

step 2




Using I and K attach 4 of B at corners as of D. Then using I and K attach C at 4 edges of B.

step 3



Place A on the B edges top, and then using I attach it. Using I attach N to A. (note: leave 4 holes open for handle)

step 4



Using M attach J at the 4 open holes.

During assembly do not tighten bolts until all components are aligned properly , then tighten fully.